

Product data sheet

ECline guide rail TS

5000 BG



For TS 5000 L ECline closer bodies with door leaf installation
opposite hinge side and opening assistance

AREAS OF APPLICATION

- Barrier-free access with strongly decreasing opening torque
- Single leaf doors
- Installation on the opposite hinge side
- Right and left single-action doors

EClime guide rail TS 5000 BG



PRODUCT FEATURES

- Opening assistance for easy opening and comfortable passing of the door
- Opening assistance can be switched off for doors with wind load or pressure differences
- Easy to replace with the standard guide rail
- With screwed slide block

TECHNICAL DATA

Productname	EClime guide rail TS 5000 BG
Length	452.5 mm
Width	33 mm
Height	30 mm
Integrated opening assistance	Yes
Hold-open function	Optional
Hold-open device can be overridden	Yes
Smoke switch integrated	No
Opening assistance can be switched off	Yes

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Dimensions
EClime guide rail TS 5000 BG	for use with TS 5000 L EClime door closer for door leaf installation on the opposite hinge side, with integrated opening assistance for easy opening, with lever	143579	white RAL 9016	452.5 x 33 x 30 mm
EClime guide rail TS 5000 BG	for use with TS 5000 L EClime door closer for door leaf installation on the opposite hinge side, with integrated opening assistance for easy opening, with lever	143578	silver-coloured	452.5 x 33 x 30 mm
EClime guide rail TS 5000 BG	for use with TS 5000 L EClime door closer for door leaf installation on the opposite hinge side, with integrated opening assistance for easy opening, with lever	143582	according to RAL	452.5 x 33 x 30 mm
EClime guide rail TS 5000 BG	for use with TS 5000 L EClime door closer for door leaf installation on the opposite hinge side, with integrated opening assistance for easy opening, with lever	143580	Stainless steel optic	452.5 x 33 x 30 mm

EClime guide rail TS 5000 BG



ACCESSORIES

MECHANICAL HOLD-OPEN UNIT

For EClime guide rail



Designation	Description	Ident-No.
Mechanical hold-open unit	for EClime guide rail, retention force adjustable, can be switched on and off, can be overridden	148820

INSTALLATION MATERIAL

LINTEL CASING BRACKET

For EClime and T-Stop guide rail



Designation	Description	Ident-No.	Colour
Lintel casing bracket	For EClime and T-Stop guide rail	115006	silver-coloured
Lintel casing bracket	For EClime and T-Stop guide rail	115007	according to RAL